AUTHOR INDEX

ABUD-MENDOZA, C. *see* ALCOCER-VARELA, J.
ALARCON-SEGOVIA, D. *see* ALCOCER-VARELA, J.
ALCOCER-VARELA, J., ALARCON-SEGOVIA, D. & ABUD-MENDOZA, C. Immunoregulatory circuits in the aquired immune deficiency syndrome and related complex. Production of interleukins 1 and 2, NK function and its enhancement by interleukin-2 and kinetics of the autologous mixed lymphocyte reaction, 31
ALLOUCHE, M. *see* LUNARDI-ISKANDAR, Y.
ALM, G.V. *see* BONDESTSM, M.
ALPER, C.A. *see* RAO, C.P.
ANDREWS, B.S. *see* SANDBORG, C.I.
ANDREANI, D. *see* SIGNORE, A.
ANTONEN, J. *see* KROHN, K.
ASHERSON, G.L. *see* LOMBARDI, G.
AUDETTE, M. *see* BEAULIEU, A.D.
AUDETTE, M. *see* MENARD, C.

BABBAGE, J.W. *see* SIGFUSSON, A.
BÄCK, O. *see* NILSSON, T.
BAKES, D.M. *see* TAI, P.-C.
BALSANO, F. *see* BARNABA, V.
BANERJEE, D.K. *see* SHARP, A.K.
BANKHURST, A.D. *see* SILVESTRIS, F.
BARABAS, A.Z., CORNISH, J. & LANNIGAN, R. Progressive passive Heymann nephritis: induction of autologous antibodies to rat brush border by multiple injections of heterologous antiserum, 381
BARKANS, J.R. *see* TAI, P.-C.
BARNABA, V., VALESINI, G., LEVRERO, M., ZACCÀRI, C., VAN DYKE, A., FALCO, M., MUSCA, A. & BALSANO, F. Immunoregulation of the *in vitro* anti-HBs antibody synthesis in chronic HBsAg carriers and in recently boosted anti-hepatitis B vaccine recipients, 259
BATSFORD, S. *see* KATO, A.
BAZIN, H. *see* GRAY, D.
BEALES, P. *see* SIGNORE, A.
BEAUDOIN, J. *see* HÉBERT, J.
BEAUDOIN, R. *see* HÉBERT, J.
BEAULIEU, A.D., AUDETTE, M., MENARD, C., PARENT, C. & DUVAL, M. Studies on fibronectin in inflammatory *vs* non-inflammatory polymorphonuclear leucocytes of patients with rheumatoid arthritis. I. Immunofluorescent and flow cytometric analysis, 339
BEAULIEU, A.D. *see* MENARD, C.
BELANGER, J. *see* HEBERT, J.
BEN CHETRIT, E., DUNSKY, E.H., WOLLNER, S. & EILAT, D. *In vivo* clearance and tissue uptake of an anti-DNA monoclonal antibody and its complexes with DNA, 159
BENTWICH, Z. *see* SHALEV, Y.
BERMAN, M.A. *see* SANDBORG, C.I.
BISHOP, C.J., MOSS, D.J., RYAN, J.M. & BURROWS, S.R. T lymphocytes in infectious mononucleosis. II. Response *in vitro* to interleukin-2 and establishment of T cell lines, 70
BISHOP, C.J. *see* MOSS, D.J.
BLOOM, B.R. *see* MODLIN, R.L.
BONDESTAM, M., FUNA, K., VENGE, P. & ALM, G.V. Inverse relationship between interferon production by mononuclear leucocytes and oxidative metabolism of neutrophil granulocytes in infection prone children, 196
BOWDEN, R.A., LEVIN, M.J., GILLER, R.H., TUBERGEN, D.G. & HAYWARD, A.R. Lysis of varicella zoster virus infected cells by lymphocytes from normal humans and immunosuppressed paediatric patients, 387
BOYD, M.J.W. *see* FAY, A.C.
BRALEY-MULLEN, H. *see* WILSON, D.A.
BRAUTBAR, C. *see* SHALEV, Y.
BRISSON, E. *see* GLUCKMAN, J.-C.
BROWN, D.M. *see* HANDWERGER, B.S.
BUCHANAN, T.M. *see* YOUNG, D.B.
BURROWS, S.R. *see* BISHOP, C.J.
BURROWS, S.R. *see* MOSS, D.J.

CAMPIERI, M. *see* CORAZZA, G.R.
CARLSEN, E., COURILLON MALLET, A. & PRYDZ, H. Effect of cyclosporine A on procoagulant activity in mononuclear blood cells and monocytes *in vitro*, 407
CARLSSON, B. *see* HAMMARSTRÖM, L.
CASTES, M. *see* MODLIN, R.L.
CAVAILLE-COLL, M. *see* GLUCKMAN, J.-C.
CAVAILLE-COLL, M. *see* LUNARDI-ISKANDAR, Y.
CHALMERS, P.J. *see* UNDERWOOD, J.R.
CHARLTON, B. & SCHINDHELM, K. The effect of extracorporeal antibody removal on antibody synthesis and catabolism in immunized rabbits, 457
CHASSOUX, D. *see* GRAY, D.
CHERVINSKY, D. *see* TEBBI, C.K.
CLEMENT, D. *see* DE SCHEEDER, I.
COLIZZI, V. *see* LOMBARDI, G.
CONVIT, J. *see* MODLIN, R.L.
CORAZZA, G.R., RAWCLIFFE, P.M., FRISONI, M., SARCHIELLI, P., LONDEI, M., CAMPIERI, M., LAZZARI, R. & GASBARRINI, G. Specificity of leucocyte migration inhibition test in coeliac disease. A reassessment using different gluten subfractions, 117
CORBEIL, J. *see* MENARD, C.
CORMIER, Y. *see* HÉBERT, J.
CORNISH, J. *see* BARABAS, A.Z.
COURILLON MALLET, A. *see* CARLSEN, E.
CUOMO, M. *see* VALESINI, G.
CZINK, E. *see* FÜST, G.

DAFFALLA, A.A. *see* FELDMEIER, H.
DANIEL, T.M. & OLDS, G.R. Demonstration of a sharted epitope among mycobacterial antigens using a monoclonal antibody, 249
DE GIACOMO, C., MAGGIORE, G., SCOTTA, M.S. & UGAZIO, A.G. **Letter to the Editor**: Administration of i.v. immunoglobulin in two children with hypergammaglobulinaemia due to protein losing enteropathy, 447
DE SCHEERDER, I., VANDEKERCKHOVE, J., DE SCHRIJVER, G., HOSTE, M., CLEMENT, D., WEIME, R. & PANNIER, R. Detection of anti-

De Scheerder *et al.* (*cont.*)
contractile antibodies after cardiac surgery using ELISA assay, 403
de Schrijver, G. *see* De Scheerder, I.
Diamanstein, T. *see* Takács, L.
di Mario, U. *see* Signore, A.
Dunsky, E.H. *see* Ben Chetrit, E.
Duval, M. *see* Beaulieu, A.D.

Edwards, A. *see* Gooi, H.C.
Eilat, D. *see* Ben Chetrit, E.
Elkon, K.B. *see* Walport, M.J.
El-On, J. *see* Passwell, J.
Endo, K. *see* Misaki, T.

Falco, M. *see* Barnaba, V.
Fay, A.C., Trudgett, A., McCrea, J.D., Kirk, F., Thompson, J.M., Mitchell, E.S., Boyd, M.J.W., Roberts, S.D. & McNeill, T.A. Detection and partial characterization of human B cell colony stimulating activity in synovial fluids of patients with rheumatoid arthritis, 316
Feighery, C. *see* McKeever, U.
Feizi, T. *see* Gooi, H.C.
Feldmeier, H., Gastl, G.A., Poggensee, U., Kortmann, C., Daffalla, A.A. & Peter, H.H. Relationship between intensity of infection and immunomodulation in human schistosomiasis. I. Lymphocyte subpopulations and specific antibody responses, 225
Feldmeier, H., Gastl, G.A., Poggensee, U., Kortmann, C., Daffalla, A.A. & Peter, H.H. Relationship between intensity of infection and immunomodulation in human schistosomiasis. II. NK cell activity and *in vitro* lymphocyte proliferation, 234
Fernandes, G. *see* Handwerger, B.S.
Fohn, M.J. *see* Young, D.B.
Fraenkel, S. *see* Raedler, A.
Friou, G.J. *see* Sandborg, C.I.
Frisoni, M. *see* Corazza, G.R.
Fujino-Kurihara, H. *see* Miyazaki, H.
Fukumoto, T. *see* Tamakoshi, K.
Funa, K. *see* Bondestam, M.
Füst, G., Czink, E., Minh, D., Miszalay, Z., Varga, L. & Hollan, S.R. Depressed classical complement pathway activities in chronic lymphocytic leukaemia, 489

Gallinoto, M.E. *see* Modlin, R.L.
Gallo, R.C. *see* Krohn, K.
Gant, V.A. & Hamblin, A.S. Human bronchoalveolar macrophage heterogeneity demonstrated by histochemistry, surface markers and phagocytosis, 539
Gardner, E.J. *see* Warren, R.P.
Gasbarrini, G. *see* Corazza, G.R.
Gastl, G.A. *see* Feldmeier, H.
Gelfand, E.W. *see* Rao, C.P.
Gentilini, M. *see* Lunardi-Iskandar, Y.
Georgoulias, V. *see* Lunardi-Iskandar, Y.
Giller, R.H. *see* Bowden, R.A.
Gluckman, J.-C., Klatzmann, D., Cavaille-Coll, M., Brisson, E., Messiah, A., Lachiver, D. & Rozenbaum, W. Is there correlation of T cell proliferative functions and surface marker phenotypes in patients with acquired immune deficiency syndrome or lymphadenopathy syndrome?, 8
Gluckman, J.C. *see* Lunardi-Iskandar, Y.
Gooi, H.C., Hounsell, E.F., Edwards, A., Majdic, O., Knapp, W. & Feizi, T. Differences in the fine specificities of monoclonal (Class A) antibodies to human myeloid cells, 151
Grange, J.M. *see* Swanson Beck, J.
Gray, D., Chassoux, D., Maclennan, I.C.M. & Bazin, H. Selective depression of thymus-independent anti-DNP antibody responses induced by adult but not neonatal splenectomy, 78
Gunther, E. *see* Kato, A.

Hahn, H. *see* Näher, H.
Hahn, T. *see* Levin, S.
Håkansson, L. *see* Schmekel, B.
Hällgren, R. *see* Schmekel, B.
Hamblin, A.S. *see* Gant, V.A.
Hamilton, E. *see* Naama, J.K.
Hammarström, L., Carlsson, B., Smith, C.I.E., Wallin, J. & Wieslander, L. Detection of IgA heavy chain constant region genes in IgA deficient donors: evidence against gene deletions, 661
Hanafusa, T. *see* Miyazaki, A.
Handwerger, B.S., Fernandes, G., Riehm, T., Yoon, J.-W., Sutherland, D.E.R. & Brown, D.M. Alterations in immunological reactivity in encephalomyocarditis virus-induced murine diabetes. I. Defective primary IgM plaque forming cell responses to sheep erythrocytes: correction by islet cell transplantation, 145
Hayward, A.R. *see* Bowden, R.A.
Hébert, J., Beaudoin, J., Laviolette, M., Beaudoin, R., Bélanger, J. & Cormier, Y. Absence of correlation between the degree of alevolitis and antibody levels to *Micropolysporum faeni*, 572
Heeg, K. *see* Solbach, W.
Herrmann, F. *see* Sieber, G.
Hersh, E.M. *see* Murray, J.L.
Hirose, S. *see* Yoshida, K.
Hollan, S.F. *see* Füst, G.
Holme, E. *see* Naama, J.K.
Hoste, M. *see* De Scheeder, I.
Hounsell, E.F. *see* Gooi, H.C.
Hovi, T. *see* Julkunen, I.
Howdle, P.D. *see* Malizia, G.
Hughes, G.R.V. *see* Walport, M.J.
Husby, G., Ranløv, P.J., Sletten, K. & Marhaug, G. The amyloid in familial amyloid cardiomyopathy of Danish origin is related to pre-albumin, 207
Huupponen, T. *see* Hyöty, H.
Hyodo, S. *see* Kashiwaw, H.
Hyöty, H., Huupponen, T. & Leinikki, P. Humoral immunity against viral antigens in insulin-dependent diabetes mellitus (IDDM): altered IgA class immune response against mumps virus, 134

Iida, Y. *see* Misaki, T.

ITO, A. Thymus dependency of induced immune responses against *Hymenolepis nana* (cestode) using congenitally athymic nude mice, 87

JANOSSY, G. *see* MALIZIA, G.
JASMIN, C. *see* LUNARDI-ISKANDAR, Y.
JULKUNEN, I., HOVI, T., SEPPÄLÄ, I. & MÄKELÄ, O. Immunoglobulin G subclass antibody responses in influenza A and parainfluenza type 1 virus infection, 130

KANAI, K. *see* TAMAKOSHI, K.
KARAKAWA, T. *see* KASHIWA, H.
KARDJITO, T. *see* SWANSON BECK, J.
KASAGI, K. *see* MISAKI, T.
KASHIWA, H., HYODO, S., KISHI, T., KARAKAWA, T., KITTAKA, E., SUZAWA, T.,VZ. SAKANO, T. & USUI, T. LPF-induced T cell colony formation: effect of PMA and interleukin-2, and surface marker analysis, 509
KATO, A., THAISS, T., OITE, T., GUNTHER, E., BATSFORD, S. & VOGT, A. Genetic factors influence level of proteinuria in cationic antigen-induced immune complex glomerulonephritis in the rat, 369
KATZ, D. *see* SHALEV, Y.
KEREN, G. *see* PASSWELL, J.
KHANOLKAR, S.R. *see* YOUNG, D.B.
KIJLSTRA, A. *see* VAN DER GAAG, R.
KIRK, F. *see* FAY, A.C.
KISHI, T. *see* KASHIWAW, H.
KITTAKA, E. *see* KASHIWA, H.
KLATZMANN, D. *see* GLUCKMAN, J.-C.
KLATZMANN, D. *see* LUNARDI ISKANDAR, Y.
KLOSE, G. *see* RAEDLER, A.
KNAPP, W. *see* GOOI, H.C.
KOIKE, T., MARUYAMA, N., TOMIOKA, H. & YOSHIDA, S. Specificity of mouse hybridoma antibodies to DNA. III. Antigenic determinants of nucleic acids recognised by poly(dG) specific monoclonal antibodies, 323
KOJIMA, A. *see* TAGUCHI, O.
KONISHI, J. *see* MISAKI, T.
KORTMAN, C. *see* FELDMEIER, H.
KOSTER, F. & PIERCE, N.F. Effect of protein deprivation on immunoregulatory cells in the rat mucosal immune response, 217
KROHN, K., RANKI, A., ANTONEN, J., VALLE, S.-L., SUNI, J., VAHERI, A., SAXINGER, C. & GALLO, R.C. Immune functions in homosexual men with antibodies to HTLV-III in Finland, 17
KUMA, K. *see* MISAKI, T.

LACHIVER, D. *see* GLUCKMAN, J.-C.
LANG, B., ROBERTS, A.J., VINCENT, A. & NEWSOM-DAVIS, J. Anti-acetylcholine receptor idiotypes in myasthenia gravis analysed by rabbit antisera, 637
LANNIGAN, R. *see* BARABAS, A.Z.
LASKI, B. *see* RAO, C.P.
LATULIPPE, L. *see* MENARD, C.
LAVENDER, J.P. *see* WALPORT, M.J.
LAVIOLETTE, M. *see* HÉBERT, J.
LAZZARI, R. *see* CORAZZA, G.R.
LEINIKKI, P. *see* HYÖTY, H.
LEVIN, M.J. *see* BOWDEN, R.A.
LEVIN, S. & HAHN, T. Interferon deficiency syndrome, 267
LEVRERO, M. *see* BARNABA, V.
LINDER, E. *see* MERI, S.
LISSEN, A. *see* VAN DER GAAG, R.
LOMBARDI, G., VISMARA, D., PICCOLELLA, E., COLIZZI, V. & ASHERSON, G.L. A non-specific inhibitor produced by *Candida albicans* activated T cells impairs cell proliferation by inhibiting interleukin-1 production, 303
LONDEI, M. *see* CORAZZA, G.R.
LOSOWSKY, M.S. *see* MALIZIA, G.
LUDWIG, W.-D. *see* SIEBER, G.
LUNARDI-ISKANDAR, Y., GEORGOULIAS, V., ALLOUCHE, M., ROZENBAUM, W., KLATZMANN, D., CAVAILLE COLL, M., MEYER, P., GLUCKMAN, J.C., GENTILINI, M. & JASMIN, C. Abnormal *in vitro* proliferation and differentiation of T colony forming cells in AIDS patients and clinically normal male homosexuals, 285
LUYENDIJK, L. *see* VAN DER GAAG, R.

MCCREA, J.D. *see* FAY, A.C.
MCKEEVER, U., O'MAHONY, C., WHELAN, C.A., WEIR, D.G. & FEIGHERY, C. Helper and suppressor T lymphocyte function in severe alcoholic liver disease, 39
MACLENNAN, I.C.M. *see* GRAY, D.
MCNEILL, T.A. *see* FAY, A.C.
MAEDA, S., YONEZAWA, K. & YACHI, A. Serum antibody reacting with placental syncytiotrophoblast in sera of patients with autoimmune diseases—a possible relation to type C RNA retrovirus, 645
MAGGIORE, G. *see* DE GIACOMO, C.
MAJDIC, O. *see* GOOI, H.C.
MÄKELÄ, O. *see* JULKUNEN, I.
MAKKER, S.P. *see* SINGH, A.K.
MALIZIA, G., TREJDOSIEWICZ, L.K., WOOD, G.M., HOWDLE, P.D., JANOSSY, G. & LOSOWSKY, M.S. The microenvironment of coeliac disease: T cell phenotypes and expression of the T2 'T blast' antigen by small bowel lymphocytes, 437
MANSELL, P.W.A. *see* MURRAY, J.L.
MARHAUG, G. *see* HUSBY, G.
MARUYAMA, N. *see* KOIKE, T.
MASTRANDREA, F. *see* VALESINI, G.
MELIOLI, G. *see* NOCERA, A.
MENARD, C. *see* BEAULIEU, A.D.
MENARD, C., BEAULIEU, A.D., AUDETTE, M., CORBEIL, J. & LATULIPPE, L. Studies on fibronectin in inflammatory *vs* non-inflammatory polymorphonuclear leucocytes of patients with rheumatoid arthritis. II. Synthesis and release of fibronectin *in vitro*, 347
MERI, S., VERKKALA, K., MIETTINEN, A., VALTONEN, V. & LINDER, E. Complement levels and C3 breakdown products in open heart surgery: association of C3 conversion with the post-pericardiotomy syndrome, 597
MERLI, A. *see* NOCERA, A.
MESSIAH, A. *see* GLUCKMAN, J.-C.

MEYER, P. *see* LUNARDI-ISKANDAR, Y.
MIETTINEN, A. *see* MERI, S.
MILLARD, K. *see* RIFAI, A.
MINH, D. *see* FÜST, G.
MINTA, J.O. *see* RAO, C.P.
MISAKI, T., KONISHI, J., NAKASHIMA, T., IIDA, Y., KASAGI, K., ENDO, K., UCHIYAMA, T., KUMA, K. & TORIZUKA, K. Immunohistological phenotyping of thyroid infiltrating lymphocytes in Graves' disease and Hashimoto's thyroiditis, 104
MISZLAY, Z. *see* FÜST, G.
MITCHELL, E.S. *see* FAY, A.C.
MIYAGAWA, J. *see* MIYAZAKI, A.
MIYAMOTO, T. *see* YOSHIDA, K.
MIYAZAKI, A., HANAFUSA, T., YAMADA, K., MIYAGAWA, J., FUJINO-KURIHARA, H., NAKAJIMA, H., NONAKA, K. & TARUI, S. Predominance of T lymphocytes in pancreatic islets and spleen of pre-diabetic non-obese diabetic (NOD) mice: a longitudinal study, 622
MODLIN, R.L., TAPIA, F.J., BLOOM, B.R., GALLINOTO, M.E., CASTES, M., RONDON, A.J., REA, T.H. & CONVIT, J. *In situ* characterization of the cellular immune response in American cutaneous leishmaniasis, 241
MONCADA, A. *see* VALESINI, G.
MOSS, D.J., BISHOP, C.J., BURROWS, S.R. & RYAN, J.M. T lymphocyte in infectious mononucleosis. I. T cell death *in vitro*, 61
MOSS, D.J. *see* BISHOP, C.J.
MOWBRAY, J.F. & UNDERWOOD, J.L. Immunology of abortion, 1
MOZES, E. *see* SHALEV, Y.
MUNN, C.G. *see* MURRAY, J.L.
MURRAY, J.L., HERSH, E.M., REUBEN, J.M., MUNN, C.G. & MANSELL, P.W.A. Abnormal lymphocyte response to exogenous interleukin-2 in homosexuals with aquired immune deficiency syndrome (AIDS) and AIDS related complex (ARC), 25
MUSCA, A. *see* BARNABA, V.

NAAMA, J.K., HOLME, E., HAMILTON, E. & WHALEY, K. Prevention of immune precipitation by purified components of the alternative pathway, 169
NÄHER, H., SPERLING, U., TAKACS, L. & HAHN, H. Dynamics of T cells of L3T4 and Ly 2 phenotype within granulomas in murine listeriosis, 559
NAKAJIMA, H. *see* MIYAZAKI, A.
NAKASHIMA, T. *see* MISAKI, T.
NATALI, P.G. *see* VALESINI, G.
NEWSOM-DAVIS, J. *see* LANG, B.
NEWSOM-DAVIES, J. *see* VINCENT, A.
NILSSON, T. & BÄCK, O. Determination of C1s–C1 inhibitor complexes in plasma by means of an enzyme linked immunosorbent assay, 178
NISHIZUKA, Y. *see* TAGUCHI, O.
NOCERA, A., MELIOLI, G., MERLI, A., SANTORO, F. & ZICCA, A. *In vitro* production of different interferon types by cloned human NK cells, 274
NONAKA, K. *see* MIYAZAKI, A.
NOU, E. *see* SCHMEKEL, B.
OITE, T. *see* KATO, A.
OLDS, G.R. *see* DANIEL, T.M.
O'MAHONY, C. *see* MCKEEVER, U.
O'SULLIVAN, M.M. *see* WILLIAMS, B.D.

PANNIER, R. *see* DE SCHEEDER, I.
PARENT, C. *see* BEAULIEU, A.D.
PASSWELL, J., SHOR, R., KEREN, G. & EL-ON, J. Human monocytes infected with leishmania amastigotes enhance lymphocyte proliferation, 565
PEDERSEN, J.S. *see* UNDERWOOD, J.R.
PETER, H.H. *see* FELDMEIER, H.
PETERS, A.M. *see* WALPORT, M.J.
PICCOLELLA, E. *see* LOMBARDI, G.
PIERCE, N.F. *see* KOSTER, F.
PIVETTI-PEZZI, P. *see* VALESINI, G.
PLATSOUCAS, C.D. Functional and phanotypic heterogeneity of electrophoretically separated leukaemic B cells from patients with chronic lymphocytic leukaemia, 474
POGGENSEE, U. *see* FELDMEIER, H.
POLLARD, K.M. & TAN, E.M. Purification of the Sm nuclear autoantigen. Detection and clinical significance of IgM antibody, 586
POTTS, R.C. *see* SWANSON BECK, J.
POZZILLI, P. *see* SIGNORE, A.
PRYDZ, H. *see* CARLSEN, E.
PUSEY, C.D. *see* WALPORT, M.J.

RADL, J. *see* VAN NIEUWKOOP, J.A.
RAEDLER, A., FRAENKEL, S., KLOSE, G. & THIELE, H.G. Elevated numbers of peripheral T cells in inflammatory bowel disease displaying T9 antigen and Fcα receptors, 518
RAMANATHAN, V.D., SHARMA, P., RAMU, G. & SENGUPTA, U. Reduced complement-mediated immune complex solubilization in leprosy patients, 553
RAMU, G. *see* RAMANATHAN, V.D.
RANKI, A. *see* KROHN, K.
RANLØV, P.J. *see* HUSBY, G.
RAO, C.P., MINTA, J.O., LASKI, B., ALPER, C.A. & GELFAND, E.W. Inherited C8β subunit deficiency in a patient with recurrent meningococcal infections: *in vivo* functional kinetic analysis of C8, 183
RATANACHAIYAVONG, S. *see* WILLIAMS, B.D.
RAWCLIFFE, P.M. *see* CORAZZA, G.R.
REA, T.H. *see* MODLIN, R.L.
REUBEN, J.M. *see* MURRAY, J.L.
RIEHM, T. *see* HANDWERGER, B.S.
RIFAI, A. & MILLARD, K. Glomerular deposition of immune complexes prepared with monomeric or polymeric IgA, 363
ROBERTS, S.D *see* FAY, A.C.
ROBERTS, A.J. *see* LANG, B.
ROLLINGHOFF, M. *see* SOLBACH, W.
RONDON, A.J. *see* MODLIN, R.L.
ROT, A. *see* TAKÁCS, L.
ROZENBAUM, W. *see* GLUCKMAN, J.-C.
ROZENBAUM, W. *see* LUNARDI-ISKANDAR, Y.
RUHL, H. *see* SIEBER, G.
RYAN, J.M. *see* BISHOP, C.J.
RYAN, J.M. *see* MOSS, D.J.

SAKANO, T. *see* KASHIWA, H.
SANDBORG, C.I., BERMAN, M.A., ANDREWS, B.S. & FRIOU, G.J. Interleukin-1 production by mononuclear cells from patients with scleroderma, 294
SANTORO, F. *see* NOCERA, A.
SARCHIELLI, P. *see* CORAZZA, G.R.
SAXINGER, C. *see* KROHN, K.
SCHAPIRA, M. *see* SCHIFFERLI, J.R.
SCHIFFERLI, J.R., STEIGER, G. & SCHAPIRA, M. The role of C1, C1-inhibitor and C4 in modulating immune precipitation, 605
SCHINDHELM, K. *see* CHARLTON, B.
SCHMEKEL, B., HÅKANSSON, L., HÄLLGREN, R., NOU, E., STÅLENHEIM, G. & VENGE, P. Neutrophil phagocytosis in sarcoidosis. Reduced C3b receptor-mediated phagocytosis in active and silent sarcoidosis, 191
SCOTTA, M.S. *see* DE GIACOMO, C.
SEARLES, R.P. *see* SILVESTRIS, F.
SENGUPTA, U. *see* RAMANATHAN, V.D.
SENSI, M. *see* SIGNORE, A.
SEON, B.K. *see* TEBBI, C.K.
SEPPÄLÄ, I. *see* JULKUNEN, I.
SHALEV, Y., BENTWICH, Z., KATZ, D., BRAUTBAR, C. & MOZES, E. (T,G)–A-L specific immune response potential and HLA typing of Israeli patients with systemic lupus erythematosus, 355
SHARMA, P. *see* RAMANATHAN, V.D.
SHARP, A.K. & BANERJEE, D.K. Hydrogen peroxide and superoxide production by peripheral blood monocytes in leprosy, 203
SHOR, R. *see* PASSWELL, J.
SIEBER, G., LUDWIG, W.-D., TEICHMANN, H., HERRMANN, F. & RUHL, H. Coincident change of cellular function and phenotype in the course of a suppressor T cell acute lymphocytic leukaemia, 483
SIGFUSSON, A., BABBAGE, J.W. & SOUHAMI, R.L. Defective *in vitro* antibody production in response to pokeweed mitogen and influenza antigen in patients with Hodgkin's disease, 396
SIGNORE, A., POZZILLI, P., DI MARIO, U., SENSI, M., BEALES, P. & ANDREANI, D. Inhibition of the receptor for interleukin-2 induced by carbimazole: relevance for the therapy of autoimmune thyroid disease, 111
SILVESTRIS, F., SEARLES, R.P., BANKHURST, A.D. & WILLIAMS, R.C. Family distribution of anti-$F(ab')_2$ antibodies in relatives of patients with systemic lupus erythematosus, 329
SINGH, A.K. & MAKKER, S.P. The distribution and molecular presentation of the brush border antigen of Heymann nephritis in various rat tissues, 579
SLETTEN, K. *see* HUSBY, G.
SMITH, C.I.E. *see* HAMMARSTRÖM, L.
SOLBACH, W., HEEG, K., VON STELDERN, D.U., ROLLINGHOFF, M. & WAGNER, H. On the partial suppression of IL-2 receptor expression and the prevention of lectin-induced lymphoblast formation by cyclosporine A, 501
SOUHAMI, R.L. *see* SIGFUSSON, A.
SPERLING, U. *see* NÄHER, H.
SPRY, C.J.F. *see* TAI, P.-C.
STÅLENHEIM, G. *see* SCHMEKEL, B.
STEIGER, G. *see* SCHIFFERLI, J.R.
STEMBRIDGE, A.M. *see* WARREN, R.P.
SUNI, J. *see* KROHN, K.
SUTHERLAND, D.E.R. *see* HANDWERGER, B.S.
SUZAWA, T. *see* KASHIWA, H.
SWANSON BECK, J., POTTS, R.C., KARDJITO, T. & GRANGE, J.M. T4 lymphopenia in patients with active pulmonary tuberculosis, 49
SZENDE, B. *see* TAKÁCS, L.

TAGUCHI, O., KOJIMA, A. & NISHIZUKA, Y. Experimental autoimmune prostatitis after neonatal thymectomy in the mouse, 123
TAI, P.-C., BAKES, D.M., BARKANS, J.R. & SPRY, C.J.F. Plasma membrane antigens on light density and activated human blood eosinophils, 427
TAKÁCS, L., SZENDE, B., ROT, A. & DIAMANSTEIN, T. Expression of MHC class II antigens on bile duct epithelium in experimental graft versus host disease, 449
TAKÁCS, L. *see* NÄHER, H.
TAMAKOSHI, K., FUKUMOTO, T., KANAI, K. & YAMASHITA, A. A monoclonal antibody to a rat hepato-renal membrane antigen, 373
TAN, E.M. *see* POLLARD, K.M.
TAPIA, F.J. *see* MODLIN, R.L.
TARUI, S. *see* MIYAZAKI, A.
TEBBI, C.K., CHERVINSKY, D. & SEON, B.K. Effect of specific anti-human leukaemia immunotoxins on the colony formation by human haematopoietic progenitors and by human leukaemia cells, 496
TEICHMANN, H. *see* SIEBER, G.
THAISS, F. *see* KATO, A.
THIELE, H.G. *see* RAEDLER, A.
THOMPSON, J.M. *see* FAY, A.C.
TOH, B.H. *see* UNDERWOOD, J.R.
TOMIOKA, H. *see* KOIKE, T.
TORIZUKA, K. *see* MISAKI, T.
TREJDOSIEWICZ, L.K. *see* MALIZIA, G.
TRUDGETT, A. *see* FAY, A.C.
TUBERGEN, D.G. *see* BOWDEN, R.A.

UCHIYAMA, T. *see* MISAKI, T.
UGAZIO, A.G. *see* DE GIACONO, C.
UNDERWOOD, J.L. *see* MOWBRAY, J.F.
UNDERWOOD, J.R., PEDERSEN, J.S., CHALMERS, P.J. & TOH, B.H. Hybrids from normal, germ free, nude and neonatal mice produce monoclonal autoantibodies to eight different intracellular structures, 417
USUI, T. *see* KASHIWA, H.

VAHERI, A. *see* KROHN, K.
VALESINI, G. *see* BARNABA, V.
VALESINI, G., PIVETTI-PEZZI, P., MASTRANDEA, F., MONCADA, A., CUOMO, M. & NATALI, P.G. Evaluation of T cell subsets in Beçhet's syndrome using anti-T cell monoclonal antibodies, 55
VALLE, S.-L. *see* KROHN, K.
VALTONEN, V. *see* MERI, S.
VANDEKERCKHOVE, J. *see* DE SCHEERDER, I.

VAN DER GAAG, R., LUYENDIJK, L., LISSEN, A. & KIJLSTRA, A. Expression of HLA-B27 antigens on mononuclear leucocytes in ankylosing spondylitis, 311
VAN DYKE, A. *see* BARNABA, V.
VAN NIEUWKOOP, J.A. & RADL, J. Light chain types of IgD inhuman bone marrow and serum, 654
VARGA, L. *see* FÜST, G.
VENGE, P. *see* BONDESTAM, M.
VENGE, P. *see* SCHMEKEL, B.
VERKKALA, K. *see* MERI, S.
VINCENT, A. & NEWSOM-DAVIS, J. Acetylcholine receptor antibody characteristics in myasthenia gravis. III. Patients with low anti-AChR antibody levels, 631
VINCENT, A. *see* LANG, B.
VISMARA, D. *see* LOMBARDI, G.
VOGT, A. *see* KATO, A.
VON STELDERN, D.U. *see* SOLBACH, W.

WAGNER, H. *see* SOLBACH, W.
WALLIN, J. *see* HAMMARSTRÖM, L.
WALPORT, M.J., PETERS, A.M., ELKON, K.B., PUSEY, C.D., LAVENDER, J.P. & HUGHES, G.R.W. The splenic extraction ration of antibody coated erythrocytes and its response to plasma exchange and pulse methylprednisolone, 465
WARREN, R.P., STEMBRIDGE, A.M. & GARDNER, E.J. Deficient immune function of peripheral blood mononuclear cells from patients with Gardner syndrome, 525
WEIME, R. *see* DE SCHEEDER, I.
WEIR, D.G. *see* MCKEEVER, U.
WHALEY, K. *see* NAAMA, J.K.
WHELAN, C.A. *see* MCKEEVER, U.
WIESLANDER, L. *see* HAMMARSTRÖM, L.
WILLIAMS, B.D., O'SULLIVAN, M.M. & RATANACHAIYAVONG, S. Reticuloendothelial Fc function in normal individuals and its relationship to the HLA antigen DR3, 532
WILLIAMS, R.C. *see* SILVESTRIS, F.
WILSON, D.A. & BRALEY-MULLEN, H. Amplifier T cell activity is increased in MRL/l mice: failure of concanavalin A and anti-lymphocyte serum to enhance antibody responses to thymus-independent antigens, 95
WOLLNER, S. *see* BEN CHETRIT, E.
WOOD, G.M. *see* MALIZIA, G.

YACHI, A. *see* MAEDA, S.
YAMADA, K. *see* MIYAZAKI, A.
YAMASHITA, A. *see* TAMAKOSHI, K.
YONEZAWA, K. *see* MAEDA, S.
YOON, J.-W. *see* HANDWERGER, B.S.
YOSHIDA, S. *see* KOIKE, T.
YOSHIDA, K., YUKIYAMA, Y., HIROSE, S. & MIYAMOTO, T. The change in C3b receptors on erythrocytes from patients with systemic lupus erythematosus, 613
YOUNG, D.B., FOHN, M.J., KHANOLKA, S.R. & BUCHANAN, T.M. Monoclonal antibodies to a 28,000 mol. wt protein antigen of *Mycobacterium leprae*, 546
YUKIYAMA, Y. *see* YOSHIDA, K.

ZACCARI, C. *see* BARNABA, V.

SUBJECT INDEX

AIDS
  Finland, 17
  immunoregulatory circuits, 31
  lymphocyte response, 25
  T cell colonies, 285
  T cell correlation, 8
Abortion, 1
Acetylcholine receptors, 631
Activation, 427
Alcoholic liver disease, 39
Alternative pathway, 169
Amyloid cardiomyopathy, 207
Amyloid fibril proteins, 207
Ankylosing spondylitis, 311
Anti-DNA lupus glomerulonephritis, 159
Anti-HBs, 259
Anti-acetylcholine receptor, 637
Anti-idiotypes, myasthenia gravis, 637
Antibodies
  anti-AChR, 631
  anti-F(ab')$_2$, 329
  anti-actin, 403
  anti-heart, 403
  anti-myosin, 403
  anti-parasite, 87
  anti-placenta, 645
  anti-prostate, 123
  flu infections, 130
  in vitro synthesis, 259
  kinetics, 457
Antigenic determinants, 323
Antigens, thymus-independent, 78
Apoptosis, 61
Autoantibodies, 631
Autoimmune diseases, 645
Autoimmune process, 381
Autoimmune thyroid disease, 111
Autoimmunity, 579

B cells
  human, 316
  leukaemic, 474
  marginal zone, 78
Behçet's syndrome, 55
Bile cannicular antigen, 373
Bile ducts, 449
Bronchoalveolar lavage, 572
Brush border antigen, 579

C1 esterase inhibitor, 489
C1
  inactivator, 605
  role, 605
C1s–C1-inhibitor complex, 178
C3b receptor
  sarcoidosis, 191
  systemic lupus erythematosus, 613
C4, 605
C8, 183
CFU assay, 496
Candida albicans, 303
Carbimazole, 111
Carbohydrate antigens, 151
Cardiac surgery, 403
Cell death, 61
Cell migration inhibition, 117
Chemiluminescence, 196
Coeliac disease
  leucocyte migration, 117
  mucosal T cells, 437
Coincident change, 483
Colony stimulating activity, 316
Complement
  alternative pathway, 169
  heart surgery, 597
  leprosy, 553
  leukaemia, 489
  meningococcal infections, 183
  systemic lupus erythematosus, 613
Crohn's disease, 518
Cyclosporine A
  lymphoblast formation, 501
  procoagulant activity, 407
Cytopathogenic effect, 267
Cytotoxicity, 387

Deficiency, 183
Diabetes mellitus
  humoral immunity, 139
  immunological reactivity, 145
Differentiation antigens, 151

ELISA
  alveolitis, 572
  anti-Sm, 586
  C1s–C1Inh complexes, 178
EMC virus, 145
Electrophoresis, density gradient, 474
Eosinophils, 427

Familial amyloidosis, 207
Farmer's lung disease, 572
Fc receptor
  HLA antigens, 532
  inflammatory bowel disease, 518
Fibronectin, I, II, 339, 347
Function, 483

Gammaglobulin, eluted, 381
Gene deletions, 661
α-genes, 661
Glomerulonephritis
  brush border antibodies, 381
  genetic factors, 369
Glomerulonephropathy, 579
Gluten, 117
Glycoprotein, 579
Graft versus host disease, 449
Granulocytes, 196
Granuloma formation, 559
Granulomas, 241
Graves' disease, 104

HLA antigens, 532
HLA typing, 355
HLA-B27, 311

HTLV-III, 17
Hashimoto's thyroiditis, 104
Hepatitis B virus, 259
Herpes virus, 387
Heymann nephritis
  brush border antigen, 579
  progressive passive, 381
Hodgkin's disease, 396
Homosexuals, 31
Human, 316
Hydrogen peroxide, 203
Hymenolepis nana, 87
Hypergammaglobulinaemia, 39

Idiotypes, SLE, 329
Idiotypes, sharing, 637
IgA
  deficiency, 661
  diabetes mellitus, 139
  monomeric, 363
  polymeric, 363
  secretory, 217
IgD
  bone marrow, 654
  light chain types, 654
  serum, 654
IgE, schistosomiasis, 225
IgG
  schistosomiasis, 225
  subclasses, flu infections, 130
Immune complexes
  clearance, 159
  glomerular deposition, 363
  glomerulonephritis, 369
  Heymann nephritis, 381
  leprosy, 553
Immune precipitation
  modulation, 605
  prevention, 169
Immunity
  diabetes mellitus, 145
  mucosal, 217
  protective, 87
Immunochemistry, 559
Immunodeficiency, 447
Immunofluorescence
  lymphocyte subsets, 622
  monoclonal autoantibodies, 417
Immunoglobulins, intravenous, 447
Immunohistochemistry, 373
Immunohistology
  autoimmune diseases, 645
  coeliac disease, 437
Immunomodulation, I, II, 225, 234
Immunoperoxidase, 104
Immunoregulation
  AIDS, 31
  alcoholic liver disease, 39
  malnutrition, 217
Immunosuppression, 387
Immunotoxins, 496
In situ, 369
Infection proneness, 196
Infections, 183
Infectious mononucleosis
  cell death, 61
  cell lines, 70
Inflammation, I, II, 339, 347
Influenza A, 130
Influenza, 396
Insulitis, 622
Interferon
  cloned NK cells, 274
  deficiency syndrome, 267
  production, 196
Interleukin-1
  C. albicans, 303
  scleroderma, 294
Interleukin-2
  AIDS lymphocyte responses, 25
    production, 8
  C. albicans, 303
  NK cells, 274
  T cell colony formation, 509
  T cell response, 70
  leishmaniasis, 241
  receptor
    AIDS, 8
    inhibition, 111
    leishmaniasis, 241
    suppression, 501
  schistosomiasis, 234
Interleukins, 31

Leishmaniasis
  cellular immune response, 241
  lymphocyte proliferation, 565
Leprosy
  immune complex solubilization, 553
  monocytes, 203
Leucocytes, 311
Leukaemia,
  acute lymphocytic, T suppressor, 483
  chronic lymphocytic
    B cells, 474
    complement, 489
  human, 496
  lymphocyte activity, 387
Leukaemic cells, 483
Lymphocytes
  activated, 111
  large granular, 274
  proliferation, 234
  subsets, 622
Lymphocytosis promoting factor, 509
Lymphokines
  AIDS, 31
  coeliac disease, 117

MHC class II antigen, 449
MHC, 369
Macrophages
  bronchoalveolar, 539
  heterogeneity, 439
Macrophages/monocytes, 294
Malnutrition
  eosinophils, 427
  mucosal immune response, 217
Mathematical modelling, 457
Membrane antigens, 427

Mice
  autoimmune, 95
  MRL, 95
  NZB/NZW, 159
  non-obese diabetic, 622
  nude, 87
Monoclonal antibodies
  anti-DNA, 323
  leukaemia, 496
  membrane antigens, 427
  M. leprae, 546
  mycobacterial antigens, 249
  rat antigen, 373
  specificity differences, 151
  T cell phenotypes, 559
  T cell subsets, 55
Monoclonal autoantibodies, 417
Monocytes
  human, 565
  leprosy, 203
  procoagulant activity, 407
Monokines
Mumps, 139
Myasthenia gravis
  AChR antibodies, 631
  anti-AChR idiotypes, 637
Mycobacterial antigens, 249
Mycobacterium leprae, 546
Mycobacterium tuberculosis, 249
Myeloid differentiation antigens, 151

nsINH, 303
Natural killer activity, 274
Natural killer cells
  cloned, 274
  infection proneness, 196
Natural killing, 234
Nephropathy, 363
Neutrophils, 191
Nuclear antigen purification, 586

Open heart surgery, 597

Parainfluenza virus, 130
Peripheral blood mononuclear cells, 267
Phagocytosis, 191
Phenotype, 483
Phorbol ester, 407
Phorbol myristate acetate, 509
Phytohaemagglutinin
  interferon deficiency, 267
  procoagulant activity, 407
Placenta, 645
Pokeweed mitogen, 396
Poly-inosinic-cytidilic acid, 267
Polymorphonuclear leucocytes, I, II, 339, 347
Polynucleotides, 323
Post-pericardiotomy syndrome, 597
Pre-albumin, 207
Precipitins, 572
Prostatitis, autoimmune, 123
Protein antigens, 546
Protein losing enteropathy, 447

Rabbits, 457
Radioimmunoassay, 130
Rat hepatoma, 373
Reactions, 553
Reconstitution, 183
Release, 347
Renal brush border antigen, 373
Reticuloendothelial system, 532
Retrovirus, type C, 645
Review, Immunology of abortion, 1
Rheumatoid arthritis, 316
Ricin A chain, 496

Sarcoidosis, 191
Schistosomiasis, human, I, II, 225, 234
Scleroderma, 294
Sm, 586
Solubilization, 553
Spleen, 622
Splenectomy, 78
Superoxide, 203
Surface marker, 509
Synovial fluid, 316
Synthesis, 347
Synthetic polypeptide antigen, 355
Systemic lupus erythematosus
  anti-DNA, 323
  anti-F(ab')$_2$, 329
  C3b receptors, 613
  HLA typing, 355

T cell differentiation, 285
T cells
  amplifier, 95
  colonies
    AIDS, 285
    LPF-induced, 509
  function, 8
  helper
    AIDS, 17
    activity, 355
    alcoholic liver disease, 39
    coeliac disease, 437
  infectious mononucleosis
    cell death, 61
    cell lines, 70
    lines, 70
  phenotypes
    AIDS, 8
    leishmaniasis, 241
  stimulation, 437
  subpopulations
    hepatitis B, 259
    schistosomiasis, 225
  subsets
    Behçet's syndrome, 55
    murine listeriosis, 559
  suppressor
    AIDS, 17
    alcoholic liver disease, 39
    C. albicans, 303
T-CFC, 285
T4 lymphopenia, 49
T9 antigen, 518
Thymectomy, neonatal, 123
Tissue thromboplastin, 407
Tuberculosis, 49

Varicella, 387
Vesicular stomatitis virus, 267